



Background

At the March 2005 meeting of the Southern Territory's Disaster Committee, a sub-committee on standards for canteens presented an initial report on its findings regarding the standardization of canteen design. Included in this presentation was information regarding standards for lettering, logos and decals.

The sub-committee's mission was to facilitate consistency in lettering and decaling (text, placement, size and font) of The Southern Territory's deployable, mobile vehicles used primarily for disaster use.

As an outcome, the following standards for lettering, logos and decals on disaster vehicles was created and approved by The Salvation Army Southern Territory.

Observations and Findings:

- The standards reflected in this document should be applied to new, re-modeled, renovated and/or re-painted units within 5 years of the standard's original approval date.
- In accordance with the recommendations in this standard, and with existing Territorial Minutes and policies governing the purchase of disaster equipment (PL035) and restrictions on color (013D), any division that does not adhere to this standard will forfeit their 40% territorial match funding for vehicle purchase and reimbursement for lettering.
- Expenses incurred by a division to comply with the lettering, signage and logos explained herein should be considered disaster expenditures and as such be 100% funded from territorial disaster funds.
- Any additional marking other than the lettering and logos recommended in this territorial standard are considered unauthorized and must be approved by territorial headquarters prior to use.
- All mobile equipment will have a divisional/unit designation as outlined herein.
- The size of logos/lettering in the following standard and photos is in inches and suggested. Every effort should be made by a division to maximize the use of the available "white space" on the units while using prudent good judgment in applying the recommended standards.

TABLE OF CONTENTS

Unit I.D. Numbering System	
▪ Territorial Identification	<i>page 5</i>
Divisional Identification	
▪ Unit Designator	<i>page 5</i>
▪ Donor Recognition	<i>page 5</i>
Graphics and Lettering	
▪ Colors	<i>page 7</i>
▪ Vinyl	<i>page 7</i>
▪ Fonts	<i>page 7</i>
▪ White Space	<i>page 7</i>
▪ Proportion	<i>page 7</i>
Specific Recommendations	
▪ Custom Mobile Food Equipment 15' Canteen	<i>page 9-12</i>
▪ Custom Mobile Food Equipment 18' Canteen	<i>page 13-16</i>
▪ Keystone Coachworks 12' DRU	<i>page 17-20</i>
▪ Keystone Coachworks 16' DRU	<i>page 21-24</i>
▪ Catering Truck	<i>page 25-30</i>
▪ Utility/Cargo Trailer	<i>page 31-34</i>
▪ Trailer Canteen	<i>page 35-38</i>
▪ Box Truck	<i>page 39-42</i>
▪ Tractor Trailer	<i>page 43-46</i>
▪ Command Vehicles, Support Vehicles	<i>page 47-50</i>
▪ Donor Recognition placement	<i>page 51-52</i>

UNIT I.D. NUMBERING SYSTEM

Numbering, Location & Detail:

All units shall have alphanumeric identification with a height of no less than 2 and no more than 5 inches depending on the size and type of the unit, state law or other mitigating factors. Unit identifications are to be applied on both the front and rear of the vehicle. Numbers on the roof of the vehicle is optional. All fonts shall be done in Arial Bold.

Territorial Identification:

The first character indicates the territory as follows:

- C Central Territory
- E Eastern Territory
- N National Headquarters
- S Southern Territory
- W Western Territory

Divisional Identification:

The next three characters are the Divisional designator, per Lotus Notes (with some divisions having only two characters) i.e.

- EMI Eastern Michigan Division / Central Territory
- EMP Empire State Division / Eastern Territory
- TX Texas Division / Southern Territory
- SDM Sierra Del Mar Division / Western Territory

Unit Designator:

At the discretion of each territory, the 5th, 6th, and 7th characters must be used to denote a vehicle inventory number, vehicle type, zone number, or other information important to that Territory or Division within that Territory. The 5th, 6th, and 7th characters are optional and more characters may be used in addition those if desired by the division.

- These three characters must be numeric.
- No division can have two vehicles with the same unit number.
- Local, professional vendors will ensure the application of these standards to the vehicles.

Donor Recognition:

- An area of a disaster vehicle no larger than 28" x 9" may be allocated for the donor's logo/lettering.
- Recognition of local and divisional donors must be approved in advance by territorial headquarters.
- While the size of the gift should be taken into account, appropriate application of donor logo/lettering will inform the application of this standard.
- The space allocated for any one donor is to include appropriate use of available white space.
- Placement must be on either side of the canteen at or below the level of the serving window.
- Placement may not be on the front, back or roof.
- For Canteen Trailers, the area can be the rear door instead of the sides.
- See page 51 for example.

GRAPHICS & LETTERING

Colors:

- Where graphics/lettering/logos are noted in **red**, use PMS 185 Red
- All letters and numbers shall be **red**, with the exception of:
- “Doing the Most Good” shall be **black** or as otherwise indicated

Vinyl:

- All letter/graphics will be no less than 5-year grade vinyl, with a suggestion of using 8-year grade.
- Ensure the equipment’s surface is primed properly.

Fonts:

- | | |
|---------------------------------|----------------------------------|
| ▪ ‘Doing The Most Good’ | Trajan Pro-BOLD (Open Type) Font |
| ▪ “The Salvation Army” | Times New Roman |
| ▪ “Emergency Disaster Services” | Arial Bold |
| ▪ All remaining lines | Arial |
| ▪ All fonts | CAPS |

White Space:

- The intent of graphic and lettering standards is to maximize white space to proportion on EDS vehicles. Consequently, when you see a “+” such as “EDS Logo (26”+)” consideration should be taken to use a logo 26” or larger to maximize white space. Please consider all recommendations with this in mind.

Proportion:

- The below recommendation (in regards to “third and fourth” lines) found throughout the standard should be applied only in consideration to space allowed. Divisions have the freedom to withhold such lettering, if while condensed to proportion of upper lines it is deemed too small or difficult to read.

Side Third line: Division Designation (Font: Arial)

Size not to exceed length of the second line if possible

*Side Fourth line: Home City and State abbreviation (Font: Arial)

Size not to exceed length of third line if possible

15' CANTEEN

CUSTOM MOBILE FOOD EQUIPMENT

DRIVER'S SIDE

Door: DOING THE MOST GOOD logo, 2 line - stacked (20"+)

Side First line: THE SALVATION ARMY, use maximum white space (Font: Times New Roman)

Side Second line: EMERGENCY DISASTER SERVICES (Font: Arial Bold)
Sized to fit the length of the first line

Side Third line: Division Designation (Font: Arial)
Size not to exceed length of the second line if possible

*Side Fourth line: Home City and State abbreviation (Font: Arial)
Size not to exceed length of third line if possible
*At divisional discretion

Side: EDS Shield (26"+) to right side of lettering, use maximum white space

PASSENGER/CURB SIDE

Door: DOING THE MOST GOOD logo, 2 line - stacked (20"+)

Side: Graphics placed lower left or right of serving window:

Side First line: THE SALVATION ARMY, use maximum space (Font: Times New Roman)

Side Second line: EMERGENCY DISASTER SERVICES (Font: Arial Bold)
Sized to fit the length of the first line

Side Third line: Division Designation (Font: Arial)
Size not to exceed length of the second line if possible

*Side Fourth line: Home City and State abbreviation (Font: Arial)
Size not to exceed length of third line if possible
*At divisional discretion

Side: EDS Shield (26"+) to left or right of serving window, use maximum white space

FRONT

Top Banner: EMERGENCY DISASTER SERVICES, 12+ centered (Font: Arial Bold)
EDS Shield, one on each side (12"+)

Hood: DOING THE MOST GOOD logo, single or double line stacked

Bumper: Passenger side, Unit/Divisional identification letter/number
BLACK on chrome bumper or RED on white bumper, WHITE on black bumper





REAR

Top Right: Unit/Divisional identification letter/number, 2" - 2 1/2", based on available space

Door: EDS Shield, one on each side of door (12"+)

ROOF

EDS Shield (30"+), centered (optional) use maximum white space



PLEASE CHECK YOUR ART CAREFULLY		Initial the appropriate line, sign and return. Revisions on artwork are subject to a fee.	
<input type="checkbox"/> Art approved as is <input type="checkbox"/> All spelling is correct <input type="checkbox"/> All colors are correct <input type="checkbox"/> All dimensions are correct*		<input type="checkbox"/> Art approved as is (Please review and initial) <input checked="" type="checkbox"/> X Signature _____ <small>Approved signature required prior to production.</small> <input type="checkbox"/> Art approved with noted changes <input type="checkbox"/> Changes indicated - prepare revised art <small>Date _____</small>	
<small>*NOTE: Your signature acknowledges responsibility for verifying and confirming that the dimensions on this art rendering or proof are the correct dimensions for graphic replacement if the actual dimensions required for graphic replacement are different than those listed and approved by the customer on this art rendering. This includes size, copy/logo placement, and overall fit/finish. Please check carefully and advise Lowen Color Graphics of any needed graphic changes to this rendering.</small>			

18' CANTEEN

CUSTOM MOBILE FOOD EQUIPMENT

DRIVER'S SIDE

Door: DOING THE MOST GOOD logo, 2 line - stacked (20"+)

Side First line: THE SALVATION ARMY, use maximum white space (Font: Times New Roman)

Side Second line: EMERGENCY DISASTER SERVICES (Font: Arial Bold)
Sized to fit the length of the first line

Side Third line: Division Designation (Font: Arial)
Size not to exceed length of the second line if possible

*Side Fourth line: Home City and State abbreviation (Font: Arial)
Size not to exceed length of third line if possible
*At divisional discretion

Side: EDS Shield (26"+) to right side of lettering, use maximum white space

PASSENGER/CURB SIDE

Door: DOING THE MOST GOOD logo, 2 line - stacked (20"+)

Side: Graphics placed lower left or right of serving window:

Side First line: THE SALVATION ARMY, use maximum space (Font: Times New Roman)

Side Second line: EMERGENCY DISASTER SERVICES (Font: Arial Bold)
Sized to fit the length of the first line

Side Third line: Division Designation (Font: Arial)
Size not to exceed length of the second line if possible

*Side Fourth line: Home City and State abbreviation (Font: Arial)
Size not to exceed length of third line if possible
*At divisional discretion

Side: EDS Shield (26"+) to left or right of serving window, use maximum white space

FRONT

Top Banner: EMERGENCY DISASTER SERVICES, 12+ centered (Font: Arial Bold)
EDS Shield, one on each side (12"+)

Hood: DOING THE MOST GOOD logo, single or double line stacked

Bumper: Passenger side, Unit/Divisional identification letter/number
BLACK on chrome bumper or RED on white bumper, WHITE on black bumper





REAR

Top Right: Unit/Divisional identification letter/number, 2" - 2 1/2", based on available space

Door: EDS Shield, one on each side of door (12"+)

ROOF

EDS Shield (30"+), centered (optional) use maximum white space



PLEASE CHECK YOUR ART CAREFULLY		Initial the appropriate line, sign and return. Revisions on artwork are subject to a fee.	
<input type="checkbox"/> Art approved as is <input type="checkbox"/> All spelling is correct <input type="checkbox"/> All colors are correct <input type="checkbox"/> All dimensions are correct*		<input type="checkbox"/> Art approved as is (Please review and initial) <input checked="" type="checkbox"/> All spelling is correct <input checked="" type="checkbox"/> All colors are correct <input checked="" type="checkbox"/> All dimensions are correct* <input checked="" type="checkbox"/> Art approved with noted changes <input type="checkbox"/> Changes indicated - prepare revised art	
<small>*NOTE: Your signature acknowledges responsibility for verifying and confirming that the dimensions on this art rendering or proof are the correct dimensions for graphic replacement if the actual dimensions required for graphic replacement are different than those listed and approved by the customer on this art rendering. This includes size, copy/logo placement, and overall fit/finish. Please check carefully and advise Lowen Color Graphics of any needed graphic changes to this rendering.</small>			

Shown: Custom Mobile Feeding Equipment 18' Canteen | 02 - 22 - 11 | JDK

12' DRU

KEYSTONE COACHWORKS

DRIVER'S SIDE

Door: DOING THE MOST GOOD logo, 2 line - stacked (20"+)

Side First line: THE SALVATION ARMY, use maximum white space (Font: Times New Roman)

Side Second line: EMERGENCY DISASTER SERVICES (Font: Arial Bold)
Sized to fit the length of the first line

Side Third line: Division Designation (Font: Arial)
Size not to exceed length of the second line if possible

*Side Fourth line: Home City and State abbreviation (Font: Arial)
Size not to exceed length of third line if possible
*At divisional discretion

Sides: EDS Shield, on each side of lettering, (26"+) use maximum white space

PASSENGER/CURB SIDE

Door: DOING THE MOST GOOD logo, 2 line - stacked (20"+)

Side: Graphics placed lower left or right of serving window:

Side First line: EMERGENCY DISASTER SERVICES (Font: Arial Bold)
Above serving window

Side Second line: THE SALVATION ARMY (Font: Times New Roman)
Below serving window

Side Third line: Division Designation (Font: Arial)
Size not to exceed length of the second line if possible

*Side Fourth line: Home City and State abbreviation (Font: Arial)
Size not to exceed length of third line if possible
*At divisional discretion

Side Rear: EDS Shield (26"+) to left and right of serving window, use maximum white space

FRONT

Top Banner: EMERGENCY DISASTER SERVICES, 12+ centered (Font: Arial Bold)
EDS Shield, one on each side (12"+)

Hood: DOING THE MOST GOOD logo, single or double line stacked

Bumper: Passenger side, Unit/Divisional identification letter/number
2" - 2 ½", based on available space
BLACK on chrome bumper, or RED on white bumper, WHITE on black bumper

REAR

Top Right: Unit/Divisional identification letter/number


2" - 2 ½", based on available space

White Doors: "EMERGENCY" above window (Font: Arial Bold)

"DISASTER SERVICES" below window (Font: Arial Bold)

Sides: EDS Shield, one on each side of door (12"+)

ROOF EDS Logo (30"+), centered (optional) use maximum white space



PLEASE CHECK YOUR ART CAREFULLY

Initial the appropriate line, sign and return. Revisions on artwork are subject to a fee.

- Art approved as is. (Please review and initial)

All spelling is correct

All colors are correct

All dimensions are correct*

Art approved with noted changes

Changes indicated - prepare revised art

Signature _____ Date _____
Approved signature required prior to production.

Shown: Keystone Coachworks 12' DRU | 02 - 22 - 11 | JDK | Cavallo Riva

COLOUR GRAPHICS
A DIVISION OF LOWEN CORPORATION
Graphics That Mean Business ®

The Lowe's logo, which consists of the word "Lowe" in a white, sans-serif font, enclosed within a blue horizontal oval.

16' DRU

KEYSTONE COACHWORKS

DRIVER'S SIDE

Door: DOING THE MOST GOOD logo, 2 line - stacked (20"+)

Side First line: THE SALVATION ARMY, use maximum white space (Font: Times New Roman)

Side Second line: EMERGENCY DISASTER SERVICES (Font: Arial Bold)
Sized to fit the length of the first line

Side Third line: Division Designation (Font: Arial)
Size not to exceed length of the second line if possible

*Side Fourth line: Home City and State abbreviation (Font: Arial)
Size not to exceed length of third line if possible
*At divisional discretion

Sides: EDS Shield, on each side of lettering, (26"+) use maximum white space

PASSENGER/CURB SIDE

Door: DOING THE MOST GOOD logo, 2 line - stacked (20"+)

Side: Graphics placed lower left or right of serving window:

Side First line: EMERGENCY DISASTER SERVICES (Font: Arial Bold)
Above serving window

Side Second line: THE SALVATION ARMY, use maximum white space (Font: Times New Roman)
Below serving window

Side Third line: Division Designation (Font: Arial)
Size not to exceed length of the second line if possible

*Side Fourth line: Home City and State abbreviation (Font: Arial)
Size not to exceed length of third line if possible
*At divisional discretion

Side Rear: EDS Shield (26"+) to left **and** right of serving window, use maximum white space

FRONT

Top Banner: EMERGENCY DISASTER SERVICES, 12+ centered (Font: Arial Bold)
EDS Shield, one on each side (12"+)

Hood: DOING THE MOST GOOD logo, single or double line stacked

Bumper: Passenger side, Unit/Divisional identification letter/number
BLACK on chrome bumper or RED on white bumper, WHITE on black bumper

REAR

Top Right: Unit/Divisional identification letter/number

2" - 2 ½", based on available space

White Doors: "EMERGENCY" above window (Font: Arial Bold)

"DISASTER SERVICES" below window (Font: Arial Bold)

Sides: EDS Shield, one on each side of door (12"+)





ROOF

EDS Logo (30"+), centered (optional) use maximum white space



COLOR GRAPHICS
A DIVISION OF LOWEN CORPORATION
Graphics That Mean Business®

Salvation Army
Shown: Keystone Coachworks 16' DRU | 02 - 22 - 11 | JDK



PLEASE CHECK YOUR ART CAREFULLY

Initial the appropriate line, sign and return. Revisions on artwork are subject to a fee.

<input type="checkbox"/> Art approved as is	(Please review and initial)
<input type="checkbox"/> All spelling is correct	
<input type="checkbox"/> All colors are correct	
<input type="checkbox"/> All dimensions are correct*	
<input checked="" type="checkbox"/> Art approved with noted changes	
<input type="checkbox"/> Changes indicated - prepare revised art	

*NOTE: Your signature acknowledges responsibility for verifying and confirming that the dimensions on this art rendering or proof are the correct dimensions for graphic replacement if the graphic is not responsible for graphic replacement if the actual dimensions required are different than those listed and approved by the customer on this art rendering. This includes sizing, copy/logo placement, and overall fit/finish. Please check carefully and advise Lowen Color Graphics of any needed graphic changes to this rendering.
This art has been prepared exclusively for our customer and cannot be reproduced without written approval from Lowen Corporation. Lowen artwork remains the property of Lowen Corporation until customer purchases it or its intended products. Lowen Corporation reserves the right to bill for unreturned artwork.

CATERING TRUCK

DRIVER'S SIDE

Door: DOING THE MOST GOOD logo, 2 line - stacked (20"+)

Side First line: THE SALVATION ARMY, use maximum white space (Font: Times New Roman)

Side Second line: EMERGENCY DISASTER SERVICES (Font: Arial Bold)
Sized to fit the length of the first line

Side Third line: Division Designation (Font: Arial)
Size not to exceed length of the second line if possible

*Side Fourth line: Home City and State abbreviation (Font: Arial)
Size not to exceed length of third line if possible
*At divisional discretion

Side: EDS Shield to left and right of lettering, use maximum white space

PASSENGER/CURB SIDE

Door: DOING THE MOST GOOD logo, 2 line - stacked (20"+)

Side First line: THE SALVATION ARMY, use maximum white space (Font: Times New Roman)

Side Second line: EMERGENCY DISASTER SERVICES (Font: Arial Bold)
Sized to fit the length of the first line

Side Third line: Division Designation (Font: Arial)
Size not to exceed length of the second line if possible

*Side Fourth line: Home City and State abbreviation (Font: Arial)
Size not to exceed length of third line if possible
*At divisional discretion

Side: EDS Shield (26+) to left of lettering, use maximum white space

FRONT

Hood: EDS Shield, centered

Bumper: Passenger side, Unit/Divisional identification letter/number
BLACK on chrome bumper, or RED on white bumper, WHITE on black bumper

REAR

Rear: EDS Shield centered

First line: "EMERGENCY" below EDS Shield (Font: Arial Bold)

Second line: "DISASTER SERVICES" below Emergency (Font: Arial Bold)

Top Right: Unit/Divisional identification letter/number, 2" - 2 1/2", based on available space

Catering Truck Driver's Side



Catering Truck Passenger's Side



Catering Truck Rear



UTILITY / CARGO TRAILER

DRIVER'S SIDE

Side First line: THE SALVATION ARMY, use maximum white space (Font: Times New Roman)
Side Second line: EMERGENCY DISASTER SERVICES (Font: Arial Bold)
 Sized to fit the length of the first line
Side Third line: Division Designation (Font: Arial)
 Size not to exceed length of the second line if possible
*Side Fourth line: Home City and State abbreviation (Font: Arial)
 Size not to exceed length of third line if possible
 *At divisional discretion
Front: EDS Shield (24+) on each side of lettering, use maximum white space

PASSENGER/CURB SIDE

Side First line: THE SALVATION ARMY, use maximum white space (Font: Times New Roman)
Side Second line: EMERGENCY DISASTER SERVICES (Font: Arial Bold)
 Sized to fit the length of the first line
Side Third line: Division Designation (Font: Arial)
 Size not to exceed length of the second line if possible
*Side Fourth line: Home City and State abbreviation (Font: Arial)
 Size not to exceed length of third line if possible
 *At divisional discretion
Front: EDS Shield (24+) on each side of lettering, use maximum white space

FRONT




Hood: "DOING THE MOST GOOD" logo, centered
Top Left: Unit/Divisional identification letter/number
 2" - 3" based on available space

REAR

Door(s): EDS Shield (24+) use maximum white space
 Top, center on each door
Top Right: Unit/Divisional identification letter/number
 2" - 3" based on available space



COLOR GRAPHICS
A DIVISION OF LOWEN CORPORATION
Graphics That Mean Business®



PLEASE CHECK YOUR ART CAREFULLY Initial the appropriate line, sign and return. Revisions on artwork are subject to a fee.

- | | |
|---|-----------------------------|
| <input type="checkbox"/> Art approved as is | (Please review and initial) |
| <input type="checkbox"/> All spelling is correct | |
| <input type="checkbox"/> All colors are correct | |
| <input type="checkbox"/> All dimensions are correct* | |
| <input checked="" type="checkbox"/> Art approved with noted changes | |
| <input type="checkbox"/> Changes indicated - prepare revised art | |

*NOTE: Your signature acknowledges responsibility for verifying and confirming that the dimensions on this art rendering or proof are the correct dimensions for the graphic's intended use. Lowen Color Graphics is not responsible for graphic replacement if the actual dimensions required are different than those listed and approved by the customer on this art rendering. This includes sizing, copy/logo placement, and overall finish. Please check carefully and advise Lowen Color Graphics of any needed graphic changes to this rendering.

This art has been prepared exclusively for our customer and cannot be reproduced without written approval from Lowen Corporation. Lowen artwork remains the property of Lowen Corporation until customer purchases it or its intended products. Lowen Corporation reserves the right to bill for unreturned artwork.

Shown: Cargo/Utility Trailer | 2 - 22 - 11 | JDK

Salvation Army

TRAILER CANTEENS

DRIVER'S SIDE

Above Window: EMERGENCY DISASTER SERVICES (Font: Arial Bold)

Below Window:

First line: THE SALVATION ARMY, use maximum white space (Font: Times New Roman)

Second line: EMERGENCY DISASTER SERVICES (Font: Arial Bold)

Sized to fit the length of the first line

Side Third line: Division Designation (Font: Arial)

Size not to exceed length of the second line if possible

*Side Fourth line: Home City and State abbreviation (Font: Arial)

Size not to exceed length of third line if possible

*At divisional discretion

Side: EDS Shield (24+) centered to the side of window, use maximum white space

PASSENGER'S SIDE

Above Window: EMERGENCY DISASTER SERVICES (Font: Arial Bold)

Below Window:

First line: THE SALVATION ARMY, use maximum white space (Font: Times New Roman)

Second line: EMERGENCY DISASTER SERVICES (Font: Arial Bold)

Sized to fit the length of the first line

Side Third line: Division Designation (Font: Arial)

Size not to exceed length of the second line if possible

*Side Fourth line: Home City and State abbreviation (Font: Arial)

Size not to exceed length of third line if possible

*At divisional discretion

Side: EDS Shield (24+) centered to the side of window, use maximum white space

FRONT:

Door(s): "DOING THE MOST GOOD" logo, 2-line, stacked, centered

Top Left: Unit/Divisional identification letter/number, 2" - 3" based on available space





REAR:

Back: EDS Shield (24+) centered, use maximum white space

Top Right: Unit/Divisional identification letter/number, 2" - 3" based on available space



COLOR GRAPHICS
A DIVISION OF LOWEN CORPORATION
Graphics That Mean Business®



PLEASE CHECK YOUR ART CAREFULLY Initial the appropriate line, sign and return. Revisions on artwork are subject to a fee.

- | | |
|---|-----------------------------|
| <input type="checkbox"/> Art approved as is | (Please review and initial) |
| <input type="checkbox"/> All spelling is correct | |
| <input type="checkbox"/> All colors are correct | |
| <input type="checkbox"/> All dimensions are correct* | |
| <input checked="" type="checkbox"/> Art approved with noted changes | |
| <input type="checkbox"/> Changes indicated - prepare revised art | |

*NOTE: Your signature acknowledges responsibility for verifying and confirming that the dimensions on this art rendering or proof are the correct dimensions for the graphic's intended use. Lowen Color Graphics is not responsible for graphic replacement if the actual dimensions required are different than those listed and approved by the customer on this art rendering. This includes sizing, copy/logo placement, and overall fit/finish. Please check carefully and advise Lowen Color Graphics of any needed graphic changes to this rendering.

This art has been prepared exclusively for our customer and may not be reproduced without written approval from Lowen Corporation. Lowen artwork remains the property of Lowen Corporation until customer purchases it or its intended products. Lowen Corporation reserves the right to bill for unreurned artwork.

Salvation Army
Show: Trailer Canteen | 02 - 22 - 11 | JDK

BOX TRUCK

DRIVER'S SIDE

Door: EDS Shield (22") use maximum white space

Side First line: THE SALVATION ARMY, use maximum white space (Font: Times New Roman)

Side Second line: EMERGENCY DISASTER SERVICES (Font: Arial Bold)

Sized to fit the length of the first line

Side Third line: Division Designation (Font: Arial)

Size not to exceed length of the second line if possible

*Side Fourth line: Home City and State abbreviation (Font: Arial)

Size not to exceed length of third line if possible

*At divisional discretion

Side: EDS Shield (26"+) on each side of lettering, use maximum white space

Bottom: Solid, red, reflective horizontal stripe (6")

PASSENGER/CURB SIDE

Door: EDS Shield (22" or use maximum white space)

Side First line: THE SALVATION ARMY, use maximum white space (Font: Times New Roman)

Side Second line: EMERGENCY DISASTER SERVICES (Font: Arial Bold)

Sized to fit the length of the first line

Side Third line: Division Designation (Font: Arial)

Size not to exceed length of the second line if possible

*Side Fourth line: Home City and State abbreviation (Font: Arial)

Size not to exceed length of third line if possible

*At divisional discretion

Side: EDS Shield (26"+) on each side of lettering, use maximum white space

Bottom: Solid, red, reflective horizontal stripe (6")

FRONT

Top Banner: At divisional discretion

Hood: EDS Shield, centered (12"+) use maximum white space

Bumper: Passenger side, Unit/Divisional identification letter/number
BLACK on chrome bumper or RED on white bumper, WHITE on black bumper

REAR

continued on back

REAR




Top Right: Unit/Divisional identification letter/number, 2" - 2 ½", based on available space
Door: EDS Shield centered above red stripe
Bottom: Solid, red, reflective horizontal stripe (6")

EXCEPTIONS

Trailers assigned as "Canteen Support" do not need reflective, horizontal stripe



COLOR GRAPHICS
A DIVISION OF LOWEN CORPORATION
Graphics That Mean Business®



PLEASE CHECK YOUR ART CAREFULLY

Initial the appropriate line, sign and return. Revisions on artwork are subject to a fee.	<input type="checkbox"/> Art approved as is (Please review and initial)
	<input type="checkbox"/> All spelling is correct
	<input type="checkbox"/> All colors are correct
	<input type="checkbox"/> All dimensions are correct*
	<input checked="" type="checkbox"/> Art approved with noted changes
	<input type="checkbox"/> Changes indicated - prepare revised art

*NOTE: Your signature acknowledges responsibility for verifying and confirming that the dimensions on this art rendering or proof are the correct dimensions for the graphic's intended use. Lowen Color Graphics is not responsible for graphic replacement if the actual dimensions required are different than those listed and approved by the customer on this art rendering. This includes size, copy/logo placement, and overall fit/finish. Please check carefully and advise Lowen Color Graphics of any needed graphic changes to this rendering.

This art has been prepared exclusively for our customer and may not be reproduced without written approval from Lowen Corporation. Lowen artwork remains the property of Lowen Corporation until customer purchases it or its intended products. Lowen Corporation reserves the right to bill for unreturned artwork.

Salvation Army | Shown: Box Truck | 02 - 22 - 11 | JDK

TRACTOR TRAILER

TRACTOR

Hood: EDS Shield (24"+) use maximum white space
Top Banner: "DOING THE MOST GOOD" logo, double or triple line stacked if possible
Side(s): Solid, red, reflective horizontal stripe (15")
Distance from ground to base of stripe should be 60" with trailer connected
Front Passenger Side: Unit/Divisional identification letter/number (4"), bottom

EXCEPTIONS

Sleeper: EDS Shield (24"+) centered on rear, use maximum white space
Solid, red, reflective horizontal stripe (15")
Dayrunner: EDS Shield (22"+) centered on each door, use maximum white space
No reflective stripe

TRAILER









Side(s): Solid, red, reflective horizontal stripe (15")
Distance from ground to base of stripe should be 60" with trailer connected
White lettering to indicate type of equipment, i.e. "Base Camp Kitchen"
Lettering to be justified to rear of trailer (Font: Arial)
Side First line: THE SALVATION ARMY, use maximum space (Font: Times New Roman)
Side Second line: EMERGENCY DISASTER SERVICES (Font: Arial Bold)
Sized to fit the length of the first line
Side Third line: Division Designation (Font: Arial)
Size not to exceed length of the second line if possible
Side: EDS Shield (36"+ or as space provides) on each side of lettering

REAR

Top Right: Unit/Divisional identification letter/number (4"), passenger side
Door(s): EDS Shield centered above red stripe (28"), or centered on each door (24")
Bottom: Solid, red, reflective horizontal stripe (15")



COLOR GRAPHICS
A DIVISION OF LOWEN CORPORATION
Graphics That Mean Business®



PLEASE CHECK YOUR ART CAREFULLY

Initial the appropriate line, sign and return. Revisions on artwork are subject to a fee.

<input type="checkbox"/> Art approved as is	(Please review and initial)
<input type="checkbox"/> All spelling is correct	
<input type="checkbox"/> All colors are correct	
<input type="checkbox"/> All dimensions are correct*	
<input checked="" type="checkbox"/> Art approved with noted changes	
<input type="checkbox"/> Changes indicated - prepare revised art	

*NOTE: Your signature acknowledges responsibility for verifying and confirming that the dimensions on this art rendering or proof are the correct dimensions for the graphic's intended use. Lowen Color Graphics is not responsible for graphic replacement if the actual dimensions required are different than those listed and approved by the customer on this art rendering. This includes sizing, copy/logo placement, and overall fit/finish. Please check carefully and advise Lowen Color Graphics of any needed graphic changes to this rendering.

This art has been prepared exclusively for our customer and may not be reproduced without written approval from Lowen Corporation. Lowen artwork remains the property of Lowen Corporation until customer purchases it or its intended products. Lowen Corporation reserves the right to bill for unreturned artwork.

Salvation Army
Shown: Tractor Trailer | 02 - 22 - 11 | JDK

COMMAND VEHICLE, SUPPORT VEHICLE

Note: below recommendations are at discretion of division depending on body style of vehicle

OPTION A:

SIDE

Door(s): EDS Logo (12"+) below solid, red stripe
Body: Solid, red, reflective horizontal stripe (4" - 6")
From back edge of rear, corner panel to front edge of front panel
White lettering (3"- 4") to indicate "Division Name", justified to side rear
(Font: Arial)

FRONT

Hood: EDS Logo (24"+)
Bumper: Driver's side, Unit/Divisional identification letter/number (2 ½")
BLACK on chrome bumper, or RED on white bumper, WHITE on black bumper

REAR

Body: Solid, red, reflective horizontal stripe (4" - 6")
Bumper: Passenger's side, Unit/Divisional identification letter/number (2 ½")
BLACK on chrome bumper, or RED on white bumper, WHITE on black bumper

OPTION B:

SIDE

Door(s): EDS Logo (12"+) embedded in solid, red stripe, instead of below



FRONT

Hood: EDS Logo (24"+)
Bumper: Driver's side, Unit/Divisional identification letter/number (2 ½")
BLACK on chrome bumper, or RED on white bumper, WHITE on black bumper


REAR

Body: Solid, red, reflective horizontal stripe (4" - 6")
EDS Logo (12"+) embedded in solid, red stripe
Bumper: Passenger's side, Unit/Divisional identification letter/number (2 ½")
BLACK on chrome bumper, or RED on white bumper, WHITE on black bumper

OPTION A:



OPTION C:



PLEASE CHECK YOUR ART CAREFULLY

Initial the appropriate line, sign and return. Revisions on artwork are subject to a fee.

- | | |
|---|-----------------------------|
| <input type="checkbox"/> Art approved as is | (Please review and initial) |
| <input type="checkbox"/> All spelling is correct | |
| <input type="checkbox"/> All colors are correct | |
| <input type="checkbox"/> All dimensions are correct* | |
| <input checked="" type="checkbox"/> Art approved with noted changes | |
| <input type="checkbox"/> Changes indicated - prepare revised art | |

- | | |
|---|------------|
| <input checked="" type="checkbox"/> Signature _____ | Date _____ |
| Approved signature required prior to production. | |


*NOTE: Your signature acknowledges responsibility for verifying and confirming that the dimensions on this art rendering are the correct dimensions for the graphic's intended use. Lowen Color Graphics is not responsible for graphic replacement if the actual dimensions required are different than those listed and approved by the customer on this art rendering. This includes sizing, copy/logo placement, and overall fit/finish. Please check carefully and advise Lowen Color Graphics of any needed graphic changes to this rendering.

This art has been prepared exclusively for our customer and may not be reproduced without written approval from Lowen Corporation. Lowen artwork remains the property of Lowen Corporation until customer purchases it or its intended products. Lowen Corporation reserves the right to bill for unreturned artwork.

Shown: Command Support Vehicles | 02 - 22 - 11 | Rev. 1 | JDK



A DIVISION OF LOWEN CORPORATION
Graphics That Mean Business®



Initial the appropriate line, sign and return. Revisions on artwork are subject to a fee.

<input type="checkbox"/> Art approved as is _____ — All spelling is correct	<input type="checkbox"/> Art approved with noted changes _____ — All colors are correct
<input checked="" type="checkbox"/> X Signature Approved signature required prior to production.	<input type="checkbox"/> Art approved as is (Please review and initial) _____ — All dimensions are correct*
	<input type="checkbox"/> Art approved with noted changes _____ — All dimensions are correct
	<input type="checkbox"/> Art approved as is (Please review and initial) _____ — All colors are correct
	<input type="checkbox"/> Art approved with noted changes _____ — Changes indicated - prepare revised art

PLEASE CHECK YOUR ART CAREFULLY

*NOTE: Your signature acknowledges responsibility for verifying and confirming that the dimensions on this art rendering or proof are the correct dimensions for the graphic's intended use. Lowen Color Graphics is not responsible for graphic replacement if the actual dimensions required are different than those listed and approved by the customer on this art rendering. This includes size, copy/logo placement, and overall fit/finish. Please check carefully and advise Lowen Color Graphics of any needed graphic changes to this rendering.

This art has been prepared exclusively for our customer and may not be reproduced without written approval from Lowen Corporation. Lowen artwork remains the property of Lowen Corporation until customer purchases it or its intended products. Lowen Corporation reserves the right to bill for unreturned artwork.